

WILD BOAR AUDIO

By **HOGTUNES**



WBA 652-24

6.5" 2 OHM FAIRING SPEAKERS

FOR 2024+ BIKES WITH "TFT" RADIO

INSTALLATION MANUAL

Thank you for your purchase of the Wild Boar Audio fairing speakers for 2024+ bikes with the "TFT" screen radio. Since positive word-of-mouth is the best way to grow our business, we want your new speakers to work as well as they were designed to. If you have any questions about the product or the installation, we are here to help! Please contact us via email or call us during business hours. If you still need additional help, then please consider a professional installation by your dealer.

Hogtunes Contact Information

Email: techsupport@hogtunes.com

USA Tel: 608-554-7631 • Canada Tel: 705-719-6361

ROAD GLIDE FAIRING INSTRUCTIONS

Make sure your ignition stays in the **"OFF"** position.

REMOVE THE FACTORY GRILLS

Using your fingers and starting at the top, pry up on each factory grill to eventually have it come away from the inner fairing. The factory grills are held in with "pressure clips" and may require a bit of extra "oomph" to have them release. If you must use a tool, use something with a 90° end being especially careful not to scratch your inner fairing!

CHANGING OUT THE SPEAKERS

With the grills removed, undo the 4 screws that hold the factory speaker to the cabinet. Carefully take off each speaker wire by disconnecting one at a time. Take a Wild Boar Audio speaker and attach the factory speaker wires on the new speaker noting they will only go on one way. Using the factory screws, attach the Wild Boar Audio speaker to the cabinet.

NOTE: Your new Wild Boar Audio speakers have options on how they can be placed in the cabinets which allows you to choose how the tweeter bridge is oriented on each side.

Please pay attention to this when securing the speakers to the bike.

If you have new grills, now is the time to put them in, or re-install the factory speaker grills. Your new speakers are ready to enjoy!

BEYOND STOCK - UPGRADE YOUR GRILLS

Our Metal-Mesh speaker grills are the perfect addition to your new speakers.

Shop now through our website.

HOGTUNES

HOGTUNES.COM



STREET GLIDE FAIRING INSTRUCTIONS

REMOVE OUTER FAIRING / HEADLAMP

Make sure your ignition switch stays in the "OFF" position. Remove your outer fairing/headlamp assembly and set aside. Refer to a service manual if you need help with this.

NOTE: Placing a towel on the front fender can help prevent scratches or "dings" from dropped tools or fasteners, etc.

REMOVE THE FACTORY GRILLS

Remove the factory "torx" head screw on the bottom outside of each factory grill. Using your fingers, pry up on each factory grill to eventually have it come away from the inner fairing. The factory grills are held in with "pressure clips" and may require a bit of extra "oomph" to have them release. If you must use a tool, use something with a 90° end being especially careful not to scratch your inner fairing!

CHANGING OUT THE SPEAKERS

The factory speaker cabinets need to be removed. We **STRONGLY** suggest **completing** the speaker swap on one side and then moving to other side. Between where the factory amp sits and each speaker cabinet, there are plugs that have pink and pink/black stripe wires going in/out of them which need to be separated. Please look for "Christmas tree" fasteners that secure any wires to the cabinets which will need to be removed for the cabinet to come out of the bike. Undo the 6 screws that secure the cabinet to the bike, and separate the cabinet from the bike. With the cabinet removed from the bike, undo the 4 screws that hold the factory speaker to the cabinet. Carefully take off each speaker wire by disconnecting one at a time. Take a Wild Boar Audio speaker and attach the factory speaker wires noting they will only go on one way. Using the factory screws, attach the Wild Boar Audio speaker to the cabinet. **NOTE:** Your new Wild Boar Audio speakers have options on how they can be placed in the cabinets which allows you to choose how the tweeter bridge is oriented on each side. **Please pay attention to this when securing the speakers to the bike.**

The cabinet can now be re-installed to the bike. Repeat this for the second cabinet. Make sure to plug the 2 pin connectors for each cabinet back together.

If you have new grills, now is the time to put them in, or re-install the factory speaker grills.

Your new speakers are ready to enjoy!

TECH SPECS

Power Handling	250 Watts / 350 Peak
Frequency Response	40Hz-25Khz
Sensitivity	94 db 1 watt/1 meter
Nominal Impedance	2 Ohms

WARRANTY INFO

Wild Boar Audio speakers for 2024+ bikes are warranted for a period of 5 years to the original purchaser. Proof of purchase is required for all warranty claims. Please contact Hogtunes for all warranty claims. Products found to be defective during the warranty period will be repaired or replaced (with a product deemed to be equivalent) at Hogtunes sole discretion. Hogtunes complete warranty policy is available on our website at www.hogtunes.com.

What Is Not Covered:

- 1) Any expense related to the removal or re-installation of these speakers.
- 2) Repairs to these speakers performed by anyone other than Hogtunes Inc.
- 3) Subsequent damage to any other components.
- 4) Any product purchased from a non-authorized Hogtunes dealer.
- 5) Damage to speakers from an accident or collision.
- 6) Damage from incorrect installation, improper use, abuse or modifications.
- 7) Damage to inbound product due to improper packing.

IMPORTANT: IN THE EVENT OF A WARRANTY CLAIM, PLEASE FILL OUT THE FORM IN THE WARRANTY SECTION OF OUR WEBSITE, OR CONTACT US BY EMAIL OR BY PHONE. VALID CLAIMS WILL HAVE A RETURN AUTHORIZATION NUMBER (RA#) GENERATED WHICH MUST APPEAR ON THE OUTSIDE OF THE BOX WHEN IT ARRIVES TO OUR OFFICES.

GOODS ARRIVING WITHOUT AN RA# WILL BE REFUSED!

Hogtunes products will play much louder than the Original Equipment, which can be a distraction to the rider and/or passenger. Please use caution when adjusting, or playing your stereo at high volume, *ESPECIALLY IN TRAFFIC.*

You are a valued customer so please:

Ride Alert - Arrive Alive!

HOGTUNES

HOGTUNES INC. FAMILY OF BRANDS

HOGTUNES
Audio Solutions For The Great American Cruiser



www.hogtunes.com